LISTING OF THE CLAIMS

1. (Currently Amended) A method for managing communications of a user, comprising:

communicating with a telecommunications manager in a telecommunications network and with a gateway in a data network regarding communications of a user;

receiving <u>voicemail</u> data from the telecommunications manager and from the gateway regarding voicemail messages <u>that have been</u> received by <u>the user</u>, and <u>that have been</u> recorded by, the user;

receiving additional <u>communications</u> data from the gateway regarding all electronic communications sent and received by the user;

making the <u>voicemail</u> data, the additional <u>communications</u> data, and received communications available to the user pursuant to preferences of the user; and

causing information related to the <u>voicemail</u> data and the received communications to be made available to the user.

- 2. (Currently Amended) The method of Claim 1, further comprising accessing a service provider's records that list new wireless customers, obtaining data related to <u>a</u> the user's new wireless service, and updating information about the user with the data related to the user's new wireless service.
- 3. (Previously Presented) The method of Claim 1, further comprising:

storing identity information about the user,

monitoring the gateway and telecommunications manager for new identity information about the user and for changed identity information about the user, and

in response to the new or the changed identity information, retrieving and storing the new or the changed identity information in addition to or in place of the identity information.

4. (Original) The method of Claim 1, further comprising:

keeping a directory;

in response to receipt of data on a received communication for the user, checking the data on the received communication against the directory; and

if the data on the received communication is not included in the directory, then adding the data on the received communication to the directory.

5. (Original) The method of Claim 1, further comprising:

responding to receipt of data about a communication received for the user with a standard response to the communication.

6. (Original) The method of Claim 1, further comprising:

responding to receipt of data about a communication received for the user

by indicating the receipt of the data to the user, and

by providing the user with an option of sending a standard response or an option of sending a selected response to the communication; and

in response to receipt of instructions on the options from the user, sending the standard response or the selected response based on the instructions

7. (Previously Presented) The method of Claim 1, further comprising:

storing an address entry in an electronic address book, the address entry comprising information about a communicating partner, with the entry including a field for a date and date information; and

interacting with an electronic calendar to create a calendar entry, the calendar entry corresponding with the date and date information,

whereby the date information from the address entry in the electronic address book appears on the corresponding date in the electronic calendar when the user views the calendar.

8. (Original) The method of Claim 1, further comprising:

creating a message log including entries corresponding respectively to communications of the user and with each entry including a name or address associated with the communication.

- 9. (Previously Presented) The method of Claim 8, wherein creating the message log comprises creating an entry from data received with respect to all voicemails received by the user and all voicemails recorded by the user.
- 10. (Original) The method of Claim 9, wherein the received communication comprises a telephone call, a call from a wireless unit, a voice mail message, a page, a facsimile transmission, an electronic mail message, an instant message, or a chat room message.
- 11. (Original) The method of Claim 9, wherein the received communication comprises an unanswered telephone call or an unanswered call from a wireless unit.
- 12. (Original) The method of Claim 8, wherein creating the message log comprises creating an entry with respect to a communication made by the user with the entry comprising a name or an address related to the communication made by the user.
- 13. (Original) The method of Claim 8, further comprising:

treating an entry in the message log as related information to data on a received communication when the data includes a name or an address in common with the name or the address in the entry.

14. (Original) The method of Claim 8, further comprising:

receiving data on a communication received for the user, the data including a name or an address in common with an entry in the message log; and

causing the entry in the message log to be made available to the user as information related to the received communication.

15. (Original) The method of Claim 1, further comprising:

keeping a calendar including scheduled activities of the user;

in response to receiving data on a received communication, checking the data against the calendar; and

if the data matches a scheduled activity in the calendar, then causing the scheduled activity to be made available to the user as information related to the received communication.

16. (Currently Amended) A method for managing communications of a user, comprising:

providing a communications manager operative to communicate with a telecommunications manager in a telecommunications network and with a gateway in a data network;

configuring the telecommunications manager to receive data on communications received for the user through the telecommunications network, and to be able to access the received communications;

configuring the gateway to receive <u>communications</u> data on communications received for the user through the data network, and to be able to access the received communications:

configuring the communications manager to receive voicemail the data on the received communications from the telecommunications manager and from the gateway

regarding voicemail messages that have been received by the user; and that have been recorded by, the user;

causing the communications manager to make the <u>voicemail</u> data and the received communications available to the user pursuant to the preferences of the user through the telecommunications manager or the gateway; and

further configuring the communications manager to make information relating to the received communications available to the user pursuant to preferences of the user.

17. (Currently Amended) The method of Claim 16, further comprising:

accessing a service provider's records that list new wireless customers, obtaining data related to <u>a</u> the user's new wireless service, and updating information about the user with the data related to the user's new wireless service.

18. (Original) The method of Claim 16, further comprising:

configuring the communications manager

to include a directory,

in response to receiving data on a received communication, to check the data on the received communication against the directory,

if the data on the received communication is not included in the directory, then to add the data on the received communication to the directory.

19. (Original) The method of Claim 16, further comprising:

configuring the communications manager to respond to receipt of data about a communication received for the user with a standard response to the communication.

20. (Original) The method of Claim 16, further comprising:

configuring the communications manager to respond to receipt of data about a communication received for the user

by indicating the receipt of the data to the user, and

by providing the user with an option of sending a standard response or an option of sending a selected response; and

further configuring the communications manager, in response to receipt of instructions on the options from the user, sending the standard response or the selected response based on the instructions.

21. (Previously Presented) The method of Claim 16, further comprising

storing an address entry in an electronic address book, the address entry comprising information about a communicating partner, with the entry including a field for a date and date information; and

interacting with an electronic calendar to create a calendar entry, the calendar entry corresponding with the date and date information,

whereby the date information from the address entry in the electronic address book appears on the corresponding date in the electronic calendar when the user views the calendar.

22. (Original) The method of Claim 16, further comprising:

configuring the communications manager to include a message log including entries corresponding respectively to communications of the user and with each entry including a name or address associated with the communication.

23. (Previously Presented) The method of Claim 22, wherein the message log comprises an entry from data received with respect to all voicemails received by the user and all voicemails recorded by the user.

- 24. (Original) The method of Claim 23, wherein the received communication comprises a telephone call, a call from a wireless unit, a voice mail message, a page, a facsimile transmission, an electronic mail message, an instant message, or a chat room message.
- 25. (Original) The method of Claim 23, wherein the received communication comprises an unanswered telephone call or an unanswered call from the wireless unit.
- 26. (Original) The method of Claim 22, further comprising:

configuring the communications manager

to create an entry for a communication made by the user and including a name or an address related to the communication.

27. (Original) The method of Claim 22, further comprising:

configuring the communications manager

to treat an entry in the message log as related information to data on a received communication when the data includes a name or an address in common with the name or the address in the entry.

28. (Original) The method of Claim 22, further comprising:

causing the communications manager

to receive data on a communication received for the user with the data including a name or an address in common with an entry in the message log, and

to make the entry available to the user as the information related to the received communication.

29. (Original) The method of Claim 16, further comprising:

causing the communications manager

to keep a calendar including scheduled activities of the user,

in response to receiving data on a received communication, to check the data against the calendar, and

if the data matches a scheduled activity in the calendar, then to cause the scheduled activity to be made available to the user as information related to the received communication.

30. (Currently Amended) A computer-readable <u>storage</u> medium on which is stored a computer program for managing communications of a user, the computer program comprising instructions, which when executed by a computer perform:

storing identity information about a user, the user information comprising information about the user and information on communications systems serving the user;

using the identity information in querying a telecommunications manager in a telephone network and a gateway in a data network for <u>voicemail</u> data <u>regarding</u> on communications of a user, the communications comprising all voicemails received by the user and all voicemails recorded by the user;

receiving the voicemail data;

obtaining information related to the voicemail data;

making the voicemail data available to the user; and

making the information related to the voicemail data available to the user.

31. (Previously Presented) The computer medium of Claim 30, further comprising instructions for performing:

monitoring the gateway and the telecommunications manager for new identity information about the user and for changed identity information about the user; and

in response to the new or the changed identity information, retrieving and storing the new or the changed identity information in addition to or in place of the identity information.

32. (Previously Presented) The computer medium of Claim 30, further comprising instructions for performing:

keeping a directory;

in response to receipt of data on a received communication for the user, checking the data on the received communication against the directory; and

if the data on the received communication is not included in the directory, then adding the data on the received communication to the directory.

33. (Previously Presented) The computer medium of Claim 30, further comprising instructions for performing:

responding to receipt of data about a communication received for the user with a standard response to the communication.

34. (Previously Presented) The computer medium of Claim 30, further comprising instructions for performing:

responding to receipt of data about a communication received for the user

by indicating the receipt of the data to the user, and

by providing the user with an option of sending a standard response or an option of sending a selected response to the communication; and

in response to receipt of instructions on the options from the user, sending the standard response or the selected response based on the instructions.

35. (Previously Presented) The computer medium of Claim 30, further comprising instructions for performing:

storing an address entry in an electronic address book, the address entry comprising information about a communicating partner, with the entry including a field for a date and date information; and

interacting with an electronic calendar to create a calendar entry, the calendar entry corresponding with the date and date information,

whereby the date information from the address entry in the electronic address book appears on the corresponding date in the electronic calendar when the user views the calendar.

36. (Previously Presented) The computer medium of Claim 30, further comprising instructions for performing:

creating a message log including entries corresponding respectively to communications of the user and with each entry including a name or address associated with the communication.

37. (Previously Presented) The computer medium of Claim 36, further comprising instructions for performing:

creating an entry from data received with respect to all the voicemails received by the user and all the voicemails recorded by the user.

38. (Original) The computer medium of Claim 37, wherein the received communication comprises a telephone call, a call from a wireless unit, a voice mail message, a page, a facsimile transmission, an electronic mail message, an instant message, or a chat room message.

- 39. (Original) The computer medium of Claim 37, wherein the received communication comprises an unanswered telephone call or an unanswered call from a wireless unit.
- 40. (Original) The computer medium of Claim 36, wherein creating the message log comprises creating an entry with respect to a communication made by the user with the entry comprising a name or an address related to the communication made by the user.
- 41. (Previously Presented) The computer medium of Claim 36, further comprising instructions for performing:

treating an entry in the message log as related information to data on a received communication when the data includes a name or an address in common with the name or the address in the entry.

42. (Previously Presented) The computer medium of Claim 36, further comprising instructions for performing:

receiving data on a communication received for the user, the data including a name or an address in common with an entry in the message log; and

causing the entry in the message log to be made available to the user as information related to the received communication.

43. (Original) The computer medium of Claim 30, further comprising:

keeping a calendar including scheduled activities of the user;

in response to receiving data on a received communication, checking the data against the calendar; and

if the data matches a scheduled activity in the calendar, then causing the scheduled activity to be made available to the user as information related to the received communication.

44. (Currently Amended) A system for providing a user with data on communications of the user, the system comprising:

a processor communicating with a communications manager stored in memory, the communications manager operative to receive <u>voicemail</u> data regarding all voicemails received by the user and all voicemails recorded by the user;

the processor making the <u>voicemail</u> data available to the user pursuant to preferences of the user,

the processor making communications received for the user available to the user, and

the processor making information relating to the communications of the user available to the user pursuant to the preferences of the user.

45. (Previously Presented) The system of Claim 44, wherein the communications manager comprises identity information about the user; and

wherein the communications manager is operative

to monitor for new identity information about the user and for or changed identity information about the user, and

in response to finding the new or the changed identity information, to retrieve and store the new or the changed identity information, respectively, in addition to or in place of the identity information.

46. (Previously Presented) The system of Claim 44, wherein the communications manager comprises a directory; and

wherein the communications manager is operative

in response to receiving data on a received communication, to check the data on the received communication against the directory, and

if the data on the received communication is not included in the directory, then to add the data on the received communication to the directory.

- 47. (Previously Presented) The system of Claim 44, wherein the communications manager is operative to respond to receipt of data about a communication received for the user with a standard response to the communication.
- 48. (Previously Presented) The system of Claim 44, wherein the communications manager is operative to respond to receipt of data about a communication received for the user

by indicating the receipt of the data to the user, and

by providing the user with an option of sending a standard response or an option of sending a selected response, and

further configuring the communications manager, in response to receipt of instructions on the options from the user, sending the standard response or the selected response based on the instructions.

49. (Previously Presented) The system of Claim 48, wherein the processor:

stores an address entry in an electronic address book, the address entry comprising information about a communicating partner, with the entry including a field for a date and date information; and

interacts with an electronic calendar to create a calendar entry, the calendar entry corresponding with the date and date information,

whereby the date information from the address entry in the electronic address book appears on the corresponding date in the electronic calendar when the user views the calendar.

50. (Previously Presented) The system of Claim 44, wherein the communications manager comprises a message log including entries corresponding respectively to communications

of the user and with each entry including a name or address associated with the

communication.

51. (Previously Presented) The system of Claim 50, wherein the message log comprises an entry from data received with respect to all the voicemails received by the user and all the

voicemails recorded by the user.

52. (Previously Presented) The system of Claim 51, wherein the received communication

comprises a telephone call, a call from a wireless unit, a voice mail message, a page, a

facsimile transmission, an electronic mail message, an instant message, or a chat room

message.

53. (Previously Presented) The system of Claim 51, wherein the received communication

comprises an unanswered telephone call or an unanswered call from the wireless unit.

54. (Previously Presented) The system of Claim 50, wherein the communications manager is

operative to create an entry for a communication made by the user and to include a name

or an address related to the communication.

55. (Previously Presented) The system of Claim 50, wherein the communications manager is

operative to treat an entry in the message log as related information to data on a received

communication when the data includes a name or an address in common with the name or

the address in the entry.

56. (Previously Presented) The system of Claim 50, wherein the communications manager is

operative

to receive data on a communication received for the user with the data including a

name or an address in common with an entry in the message log, and

to make the entry available to the user as the information related to the received communication.

57. (Currently Amended) The system of Claim 44, wherein the processor accesses the service provider's records that list new wireless customers, obtains data related to <u>a</u> the user's new wireless service, and updates the information about the user with the data related to the user's new wireless service.